



拉丝机



清洗机



清洗机烘干部分



砂光机(背磨)




砂光机



收卷机



双头摆动磨砂机



佛山市欧艺钢数控设备有限公司
FOSHAN OUYIGANG CNC MACHINERY CO.,LTD

地址: 广东省佛山市高明区荷城街道兴良路19号
电话: 0757-88623186
传真: 0757-88624186
网址: <http://www.ouyigang.com>
邮箱: shangdejixiechang@126.com

ADD: No.19,Xingliang Road, Sanzhou Town, Hecheng Street, Gaoming District, Foshan City, Guangdong Province, China.
TEL: +86-757-88623186
FAX: +86-757-88624186
WEB: <http://www.ouyigang.com>
E-mail: shangdejixiechang@126.com

(二维码)

手机画册

(二维码)

H5动态画册



欧艺钢

SHEET AND COIL AUTOMATIC NO.4 + HL+ SB PRODUCTION LINE

平卷两用 NO.4 +HL+ SB 自动生产线

佛山市欧艺钢数控设备有限公司
FOSHAN OUYIGANG CNC MACHINERY CO.,LTD



3U0A8657



3U0A8661



3U0A8663



3U0A8664



3U0A8665



单头砂光机



夹送整平



SHEET AND COIL AUTOMATIC
NO.4 + HL+ SB PRODUCTION LINE

平卷两用 NO.4 +HL+ SB 自动生产线



性能与特点 PERFORMANCE AND CHARACTERISTICS

整线同步性稳定，操作简便，进板出板快捷，高效并且响应速度快，急停自动保护板面。

The whole line is synchronous, stable and easy to operate, the feeding and un-loading is quick and efficient, and the response speed is fast. The emergency stop automatically protects the board surface.

整线占地面积设计合理，基础工程简单实用，减少工程费用，环保利用废水达到0排放，场地布置方便作业人员操控，安全生产。

The whole floor area is reasonable in design, the basic project is simple and practical, to cut down the cost of engineer, the whole line with recycle system, meet the requirement of environment zero emission, and it is convenient for operators to control and safely produce.

生产线可以磨削平板或者卷磨，利用率高。并且自动化高，只需要两个操作人员。

The production line can be ground flat or wound, the utilization rate is high. And the automation is high, only two operators are needed.

砂光机砂带线速度每秒50米，大大减少切削油和砂带，提高磨板最高速度达到每分钟60米，品配板面研磨效应，确保砂纹清晰均匀光亮，降低切削油，砂带及清洗成本。

Sanding machine belt line speed of 50 meters per second, greatly reducing cutting oil and abrasive belt, increasing the maximum speed of the grinding board to 60 meters per minute, matching the surface grinding effect, ensuring clear and uniform sanding, reducing cutting oil, abrasive belt and cleaning costs.

直纹拉丝机采用环形砂带，切削液喷淋拉丝，更好保护板面，粗细砂号搭配有选择性，更换快捷，提高板面砂纹清晰均匀，满足客户市场需求。


The straight line drawing machine is matched with the annular abrasive belt, the cutting fluid is sprayed and brushed, which better protects the board surface. The thick and fine sand number is matched with selectivity, the replacement is quick, and the sand surface of the board surface is clear and uniform to meet the customer market demand.

SB砂光机采用直径400大磨头，提高磨削效果，机座及钢性加大确保稳定性，提高磨板效率，板面没振纹均匀光亮，达到行业领先水平。

SB sanding machine uses a diameter of 400 large grinding head to improve the grinding effect, the machine seat and steel to increase stability to ensure the efficiency of the grinding plate, the board surface is not evenly bright, reaching the industry leading equipment.

分体清洗机有效控制清洗更干净，清洗废水循环利用更好调整，更换清水不浪费，达到0排放功能。

The split washing machine effectively controls the cleaning more cleanly, the cleaning wastewater recycling is better adjusted, the replacement of clean water is not wasted, and the 0 emission function is achieved.



钢板生产线 STEEL PLATE PRODUCTION LINE

Plate thickness 加工板厚 (mm)	0.4-4.0	0.4-4.0
Plate width 加工板宽 (mm)	1250	1550
Speed 加工速度 (m/min)	6-20	6-20
Length of sheet 板长度 (mm)	6000 max	6000 max
The total power unit 机组总功率 (kw)	150	180

钢卷生产线参数 STEEL COIL PRODUCTION LINE PARAMETERS

Plate thickness 加工板厚 (mm)	0.4-3.0	0.4-3.0
Plate width 加工板宽 (mm)	1250	1550
Speed 加工速度 (m/min)	6-60	6-60
Steel coil outer diameter 钢卷外径 (mm)	1900	1900
Steel coil inner diameter 钢卷内径 (mm)	508 (610)	508 (610)
Uncoil bearing 收放承重 (T)	22	25
Length of the production line 生产线长度 (mm)	37	39
The total power unit 机组总功率 (kw)	465	568



- 2020年** ▶ 10月佛山市欧艺钢数控设备有限公司搬迁至佛山高明
- 2013年** ▶ 恒合机械厂和尚德机械厂合并成立 佛山市欧艺钢金属制品有限公司, 搬迁至顺德
- 2006年** ▶ 佛山市尚德机械厂成立 (专业研制不锈钢、铝材等板材表面研磨抛光)
- 2000年** ▶ 佛山市禅城区恒合机械厂成立 (专业研制不锈钢表面加工机械)

企业荣誉

CERTIFICATE OF HONOR



欧艺钢

OU YI GANG

佛山市欧艺钢数控设备有限公司
FOSHAN OUYIGANG CNC MACHINERY CO., LTD

地址: 广东省佛山市高明区荷城街道兴良路19号

电话: 0757-88623186

传真: 0757-88624186

网址: <http://www.ouyigang.com>

邮箱: shangdejixiechang@126.com

ADD: No.19, Xingliang Road, Sanzhou Town, Hecheng Street, Gaoming District, Foshan City, Guangdong Province, China.

TEL: +86-757-88623186

FAX: +86-757-88624186

WEB: <http://www.ouyigang.com>

E-mail: shangdejixiechang@126.com

(二维码)

手机画册

(二维码)

H5动态画册



OU YI GANG

欧艺钢

欧艺钢 OUYIGANG
20 年
20 years

从事不锈钢表面加工
机械设备生产与制造

欧艺钢

欧艺钢数控设备有限公司
FOSHAN OUYIGANG CNC MACHINERY CO., LTD



佛山市欧艺钢数控设备有限公司
Foshan Ouyigang CNC Machinery Co., Ltd.

公司简介

COMPANY PROFILE

佛山市欧艺钢数控设备有限公司是中国国内最早从事不锈钢表面加工机械设备生产与制造的公司之一, 是国内规模较大, 技术实力雄厚的专业生产企业。集科研、设计、生产、销售、加工, 维护为一体的国家高新技术企业。

公司成立二十年以来, 一直坚持走专业化的发展道路, 以其领先的科研技术与设计开发能力, 同时拥有过硬的产品质量。全程一体化的服务理念及优秀的管理团队, 是不锈钢表面加工机械设备市场的名牌产品, 也是行业内的佼佼者。在国内外拥有大量的忠实客户, 我们的产品还遍布世界, 欧美, 东南亚, 台湾等大型工厂。是当今最先进金属表面加工数控机械设备供应商之一。

企业产品:

1. 数控磨砂机: 结合国外先进设计理念与前沿的科技技术, 利用西门子功能研发拥有专利数控操作系统, 是金属表面加工未来趋势的设备, 具有自动化、高效、节能、安全、稳定等特性;
2. 数控镜钢机: 依据二十年工艺沉淀, 大量融通国内外最新科技, 是不锈钢镜面加工核心设备, 经过多年的研发, 结合实际使用我们企业多项的专利技术, 具有自动化、高效、节能、安全、稳定等特性;
3. 另还包含了荷纹机、清洗机、全自动贴膜机、收卷机、放卷机等。

欧艺钢公司以诚信经营, 卓越的服务, 积极的心态, 不断学习进取, 研发创新理念, 匠心打造成为中国不锈钢行业品牌企业。

Foshan Ouyigang CNC Machinery Co., Ltd. is one of the earliest companies engaged in the production and manufacture of stainless steel surface processing machinery and equipment in China. It is a large-scale professional manufacturer with strong technical strength in China. Also it's a national high-tech enterprise integrating scientific research, design, production, sales, processing and maintenance. Ouyigang has been adhering to the path of professional development since its establishment 20 years ago, with its leading scientific research technology and design and development capabilities, at the same time has excellent product quality. With the whole-process integration of service concept and excellent management team, is the stainless steel surface processing machinery and equipment market famous brand products, but also the industry leader. With a large number of loyal customers at home and abroad, our products are all over the world, Europe and the United States, Southeast Asia, Taiwan and other large factories. Today is the most advanced metal surface machining CNC machinery and equipment suppliers.

Enterprise Products:

1. CNC sanding machine: Combining foreign advanced design concept and cutting-edge technology, using Siemens functions to develop a patented numerical control operating system, is the future trend of metal surface processing equipment, with automation, high efficiency, energy saving, security, stability and other characteristics;
2. CNC mirror polishing machine: According to twenty years of process precipitation, a large number of integration of the latest technology at home and abroad, is the core equipment of stainless steel mirror processing, after years of research and development, combined with the actual use of our enterprise a number of patented technology, with automation, high efficiency, energy saving, safety, stability and other characteristics;
3. It also includes Lotus pattern machine, Cleaning machine, Automatic laminating machine, Recoiler, Uncoiler, etc. With good faith management, excellent service, positive attitude, continuous learning and progress, research and development of innovative ideas, and ingenuity, Ouyigang has become a brand enterprise in Chinese stainless steel industry.

卷板8K生产线



SELF USE PRODUCTION LINE 欧艺钢自用生产线

欧艺钢自用生产线有1250型卷磨8K镜钢机生产线、1250型卷磨油磨磨砂生产线、1550型卷磨磨油磨砂生产线、1250型板磨油磨磨砂生产线、1550型板磨油磨磨砂生产线



卷板8K生产线



卷板磨砂生产线



磨砂生产线



平板磨砂线



优秀专业技术团队



服务一流的售后安装团队



集工贸一体化的加工中心, 拥有优秀专业的生产加工团队和业务团队。国内高端先进的数控设备, 5S的现场管理, 品质优良管控严格

是您放心的合作伙伴!



拉丝机



清洗机



清洗机烘干部分



砂光机(背磨)




砂光机



收卷机



双头摆动磨砂机



OU YI GANG

佛山市欧艺钢数控设备有限公司
FOSHAN OUYIGANG CNC MACHINERY CO.,LTD

地址: 广东省佛山市高明区荷城街道兴良路19号
电话: 0757-88623186
传真: 0757-88624186
网址: <http://www.ouyigang.com>
邮箱: shangdejixiechang@126.com

ADD: No.19,Xingliang Road, Sanzhou Town, Hecheng Street, Gaoming District, Foshan City, Guangdong Province, China.
TEL: +86-757-88623186
FAX: +86-757-88624186
WEB: <http://www.ouyigang.com>
E-mail: shangdejixiechang@126.com

(二维码)

手机画册

(二维码)

H5动态画册

STAINLESS STEEL 8K MIRROR POLISHING LINE

不锈钢 8K 镜面抛光生产线



3U0A8657



3U0A8661



3U0A8663



3U0A8664



3U0A8665



单头砂光机



夹送整平



OU YI GANG

欧艺钢

佛山市欧艺钢数控设备有限公司
FOSHAN OUYIGANG CNC MACHINERY CO.,LTD

STAINLESS STEEL 8K
MIRROR POLISHING LINE

不锈钢 8K 镜面抛光生产线



性能与特点 PERFORMANCE AND CHARACTERISTICS

整线同步性稳定，操作简便，进板出板快捷，高效并且响应速度快，急停自动保护板面。

The whole line is synchronous, stable and easy to operate, the feeding and un-loading is quick and efficient, and the response speed is fast. The emergency stop automatically protects the board surface.

整线占地面积设计合理，基础工程简单实用，减少工程费用，环保利用废水达到0排放，场地布置方便作业人员操控，安全生产。

The whole floor area is reasonable in design, the basic project is simple and practical, to cut down the cost of engineer, the whole line with recycle system, meet the requirement of environment zero emission, and it is convenient for operators to control and safely produce.

生产线可以磨削平板或者卷磨，利用率高。并且自动化高，只需要两个操作人员。

The production line can be ground flat or wound, the utilization rate is high. And the automation is high, only two operators are needed.

砂光机砂带线速度每秒50米，大大减少切削油和砂带，提高磨板最高速度达到每分钟60米，品配板面研磨效应，确保砂纹清晰均匀光亮，降低切削油，砂带及清洗成本。

Sanding machine belt line speed of 50 meters per second, greatly reducing cutting oil and abrasive belt, increasing the maximum speed of the grinding board to 60 meters per minute, matching the surface grinding effect, ensuring clear and uniform sanding, reducing cutting oil, abrasive belt and cleaning costs.

直纹拉丝机采用环形砂带，切削液喷淋拉丝，更好保护板面，粗细砂号搭配有选择性，更换快捷，提高板面砂纹清晰均匀，满足客户市场需求。

The straight line drawing machine is matched with the annular abrasive belt, the cutting fluid is sprayed and brushed, which better protects the board surface. The thick and fine sand number is matched with selectivity, the replacement is quick, and the sand surface of the board surface is clear and uniform to meet the customer market demand.

SB砂光机采用直径400大磨头，提高磨削效果，机座及钢性加大确保稳定性，提高磨板效率，板面没振纹均匀光亮，达到行业领先水平。

SB sanding machine uses a diameter of 400 large grinding head to improve the grinding effect, the machine seat and steel to increase stability to ensure the efficiency of the grinding plate, the board surface is not evenly bright, reaching the industry leading equipment.

分体清洗机有效控制清洗更干净，清洗废水循环利用更好调整，更换清水不浪费，达到0排放功能。


The split washing machine effectively controls the cleaning more cleanly, the cleaning wastewater recycling is better adjusted, the replacement of clean water is not wasted, and the 0 emission function is achieved.

钢板生产线 STEEL PLATE PRODUCTION LINE

Plate thickness 加工板厚 (mm)	0.4-4.0	0.4-4.0
Plate width 加工板宽 (mm)	1250	1550
Speed 加工速度 (m/min)	6-20	6-20
Length of sheet 板长度 (mm)	6000 max	6000 max
The total power unit 机组总功率 (kw)	150	180

钢卷生产线参数 STEEL COIL PRODUCTION LINE PARAMETERS

Plate thickness 加工板厚 (mm)	0.4-3.0	0.4-3.0
Plate width 加工板宽 (mm)	1250	1550
Speed 加工速度 (m/min)	6-60	6-60
Steel coil outer diameter 钢卷外径 (mm)	1900	1900
Steel coil inner diameter 钢卷内径 (mm)	508 (610)	508 (610)
Uncoil bearing 收放承重 (T)	22	25
Length of the production line 生产线长度 (mm)	37	39
The total power unit 机组总功率 (kw)	465	568





拉丝机



清洗机



清洗机烘干部分



砂光机(背磨)




砂光机



收卷机



双头摆动磨砂机



欧艺钢

OU YI GANG

佛山市欧艺钢数控设备有限公司
FOSHAN OUYIGANG CNC MACHINERY CO.,LTD

地址: 广东省佛山市高明区荷城街道兴良路19号
电话: 0757-88623186
传真: 0757-88624186
网址: <http://www.ouyigang.com>
邮箱: shangdejixiechang@126.com

ADD: No.19,Xingliang Road, Sanzhou Town, Hecheng Street, Gaoming District, Foshan City, Guangdong Province, China.
TEL: +86-757-88623186
FAX: +86-757-88624186
WEB: <http://www.ouyigang.com>
E-mail: shangdejixiechang@126.com

(二维码)

手机画册

(二维码)

H5动态画册



欧艺钢

OU YI GANG

佛山市欧艺钢数控设备有限公司
FOSHAN OUYIGANG CNC MACHINERY CO.,LTD

不锈钢高端一站式加工中心

加工产品主要针对电梯、卫浴、电器等高品质市场。
是您放心的合作伙伴



3U0A8657



3U0A8661



3U0A8663



3U0A8664



3U0A8665



单头砂光机



夹送整平



卷板8K生产线



卷板磨砂生产线



磨砂生产线



平板磨砂线



卷板8K生产线



SELF USE PRODUCTION LINE 欧艺钢自用生产线

欧艺钢自用生产线有1250型卷磨8K镜钢机生产线、1250型卷磨油磨磨砂生产线、1550型卷磨油磨磨砂生产线、1250型板磨油磨磨砂生产线、1550型板磨油磨磨砂生产线、1650型飞剪线、1650型分条线

3U0A8657



3U0A8661



3U0A8663



3U0A8664



3U0A8665



单头砂光机



夹送整平

